Appl. No.: 10/521,526

Amdt. Dated October 25, 2006

Amendment to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (currently amended) A method of case hardening an article of titanium or a titanium-based alloy, or an article or zirconium or a zirconium-based alloy, comprising treating the article with heat for a period of at least 12 hours at at least one temperature selected from the range of 850°C to 900°C and at a pressure inon the order of atmospheric pressure in an oxygen diffusion atmosphere, the atmosphere comprising:
- a) a carrier gas which does not react chemically with the article in the temperature range, and
- b) molecular oxygen, wherein a concentration of oxygen in the oxygen diffusion atmosphere is in the range of 10 volumes per million to 400 volumes per million.
- 2. (previously presented) The method according to claim 1, wherein the oxygen concentration is in the range of 75 to 300 volumes per million.
- 3. (currently amended) The method according to claim 42, wherein the oxygen concentration is in the range of 100 to 200 volumes per million.
- 4. (currently amended) The method according to claim 42, further comprising subjecting the article to further heat treatment at a temperature in the range of 500°C to 900°C in an atmosphere having an oxygen concentration of at least 5000 volumes per million, with the balance being non-reactive carrier gas so as to form a visible surface oxide layer on the article to improve tribiological properties of the article.

Appl. No.: 10/521,526

Amdt. Dated October 25, 2006

5. (previously presented) The method accordingly to claim 4, wherein the atmosphere in which the tribiological surface oxide layer is formed contains from 15% to 25% by volume of oxygen and from 75% to 85% by volume of argon.

6. (currently amended) The method accordingly to claim $4\underline{4}$, wherein the carrier gas is argon.

7. (canceled)